

Отчет о суточных параметрах ГВС
(01.07.2026 0:00:00 - 31.07.2026 0:00:00)

Объект: Пермский край, Пермь г, Химградская ул, д. 3 (ООО "УК "ЖКХ Кировский")
Прибор: КМ-5/АТ-Т Заводской номер: 371026
Точка измерения: ТВ1; Ресурс: ГВС

Схема измерений: КМ-5-1

Дата	t1	t2	dt	V1	V2	V3	M1	M2	%	P1	P2	Qот	ta	Tr	NS
	°C	°C	°C	м3	м3	м3	т	т	т	атм	атм	Гкал	°C	ч	
01.07.2026	63.33	5.00	58.33	8.65	0.00	0.00	8.49	0.00	200.00	5.01	2.55	0.50	-60.00	24.00	
02.07.2026	63.38	5.00	58.38	7.15	0.00	0.00	7.02	0.00	200.00	5.07	2.55	0.41	-60.00	24.00	
03.07.2026	63.32	5.00	58.32	7.39	0.00	0.00	7.26	0.00	200.00	5.15	2.55	0.42	-60.00	24.00	
04.07.2026	63.20	5.00	58.20	6.90	0.00	0.00	6.78	0.00	200.00	4.91	2.55	0.39	-60.00	24.00	
05.07.2026	63.18	5.00	58.18	8.43	0.00	0.00	8.28	0.00	200.00	4.86	2.55	0.48	-60.00	24.00	
06.07.2026	63.33	5.00	58.33	6.75	0.00	0.00	6.63	0.00	200.00	4.92	2.55	0.39	-60.00	24.00	
07.07.2026	63.20	5.00	58.20	6.06	0.00	0.00	5.95	0.00	200.00	4.86	2.55	0.35	-60.00	24.00	
08.07.2026	63.19	5.00	58.19	6.24	0.00	0.00	6.13	0.00	200.00	4.99	2.55	0.36	-60.00	24.00	
09.07.2026	63.24	5.00	58.24	7.10	0.00	0.00	6.97	0.00	200.00	5.10	2.55	0.41	-60.00	24.09	
10.07.2026	62.99	5.00	57.99	5.61	0.00	0.00	5.51	0.00	200.00	5.29	2.55	0.32	-60.00	24.00	
11.07.2026	62.96	5.00	57.96	5.29	0.00	0.00	5.20	0.00	200.00	5.20	2.55	0.30	-60.00	24.00	
12.07.2026	63.05	5.00	58.05	7.54	0.00	0.00	7.40	0.00	200.00	4.96	2.55	0.43	-60.00	24.00	
13.07.2026	58.52	5.00	53.52	3.94	0.00	0.00	3.88	0.00	200.00	3.86	2.56	0.21	-60.00	24.00	
14.07.2026	22.45	5.00	17.45	1.16	0.00	0.00	1.15	0.00	200.00	1.46	2.56	0.02	-60.00	24.00	
15.07.2026	22.17	5.00	17.17	0.84	0.00	0.00	0.84	0.00	200.00	1.41	2.56	0.01	-60.00	24.00	
16.07.2026	21.41	5.00	16.41	0.51	0.00	0.00	0.51	0.00	200.00	1.03	2.56	0.01	-60.00	24.00	
17.07.2026	22.61	5.00	17.61	0.33	0.00	0.00	0.33	0.00	200.00	0.62	2.57	0.01	-60.00	24.00	
18.07.2026	21.53	5.00	16.53	0.19	0.00	0.00	0.19	0.00	200.00	0.48	2.57	0.00	-60.00	24.00	
19.07.2026	21.18	5.00	16.18	0.16	0.00	0.00	0.16	0.00	200.00	0.50	2.56	0.00	-60.00	24.00	
20.07.2026	21.47	5.00	16.47	0.23	0.00	0.00	0.23	0.00	200.00	0.60	2.56	0.00	-60.00	24.00	
21.07.2026	21.74	5.00	16.74	0.24	0.00	0.00	0.24	0.00	200.00	0.57	2.56	0.00	-60.00	24.00	
22.07.2026	21.59	5.00	16.59	0.22	0.00	0.00	0.22	0.00	200.00	0.53	2.56	0.00	-60.00	24.00	
23.07.2026	21.15	5.00	16.15	0.17	0.00	0.00	0.17	0.00	200.00	0.52	2.57	0.00	-60.00	24.00	
24.07.2026	21.84	5.00	16.84	0.22	0.00	0.00	0.21	0.00	200.00	0.54	2.57	0.00	-60.00	24.00	
25.07.2026	50.20	5.00	45.20	3.07	0.00	0.00	3.03	0.00	200.00	1.31	2.56	0.14	-60.00	24.00	
26.07.2026	57.86	5.00	52.86	6.29	0.00	0.00	6.20	0.00	200.00	4.28	2.55	0.33	-60.00	24.00	
27.07.2026	57.79	5.00	52.79	6.45	0.00	0.00	6.35	0.00	200.00	4.25	2.55	0.34	-60.00	24.00	
28.07.2026	57.22	5.00	52.22	6.42	0.00	0.00	6.32	0.00	200.00	4.06	2.56	0.33	-60.00	24.00	
29.07.2026	60.74	5.00	55.74	6.54	0.00	0.00	6.43	0.00	200.00	4.06	2.56	0.36	-60.00	24.00	
30.07.2026	63.06	5.00	58.06	5.82	0.00	0.00	5.71	0.00	200.00	4.30	2.56	0.33	-60.00	24.00	
31.07.2026	62.64	5.00	57.64	5.54	0.00	0.00	5.44	0.00	200.00	4.39	2.56	0.31	-60.00	24.00	
Средние:	47.28	5.00	42.28	---	---	---	---	---	200.00	3.20	2.56	---	-60.00	---	
Итого:	---	---	---	131.46	0.00	0.00	129.24	0.00	---	---	---	7.16	---	744.09	

Дата	V1	V2	V3	M1	M2	Qот	Tr
	м3	м3	м3	т	т	Гкал	ч
30.06.2026	1705.52	0.00	0.00	1674.93	0.00	96.86	4316.47
31.07.2026	1836.98	0.00	0.00	1804.17	0.00	104.02	5060.55
Итого:	131.46	0.00	0.00	129.24	0.00	7.16	744.09

Представитель абонента

Представитель энергоснабжающей организации

Отчет о суточных параметрах
(01.07.2026 0:00:00 - 31.07.2026 0:00:00)

Объект: Пермский край, Пермь г, Химградская ул, д. 3 (ООО "УК "ЖКХ Кировский")
Прибор: КМ-5/АТ-Т Заводской номер: 362191
Точка измерения: ТВ1; Ресурс: ТС

Подача: Счетчик воды: ППС-5 SN 362191
Обратка: ППС-5 SN 362090
Холодная вода:
Схема измерений: КМ-5-2

Датчик давления:
Коммуналец СДВ-И SN A819155
Коммуналец СДВ-И SN A819156

Датчик температуры:
КТС-Б SN 1331414г
КТС-Б SN 1331414х

Дата	t1	t2	dt	V1	V2	V3	M1	M2	%	P1	P2	Qот	ta	Tr	NS
	°C	°C	°C	м3	м3	м3	т	т	т	атм	атм	Гкал	°C	ч	
01.07.2026	20.96	20.59	0.38	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
02.07.2026	20.97	20.64	0.32	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
03.07.2026	20.93	20.64	0.29	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
04.07.2026	21.09	20.76	0.32	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
05.07.2026	21.40	21.01	0.40	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
06.07.2026	21.66	21.26	0.41	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
07.07.2026	21.96	21.54	0.41	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
08.07.2026	22.23	21.77	0.47	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
09.07.2026	22.41	21.90	0.50	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
10.07.2026	22.46	22.04	0.43	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
11.07.2026	22.47	22.09	0.38	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
12.07.2026	22.58	22.19	0.39	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
13.07.2026	22.63	22.25	0.38	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
14.07.2026	22.35	22.08	0.27	0.00	0.00	0.00	0.00	0.00	---	0.01	-0.01	0.00	-60.00	24.00	
15.07.2026	22.05	21.80	0.25	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
16.07.2026	21.80	21.58	0.22	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
17.07.2026	21.48	21.26	0.22	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
18.07.2026	21.07	20.89	0.18	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	20.84	
19.07.2026	20.88	20.75	0.14	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	0.00	
20.07.2026	20.84	20.71	0.14	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	0.00	
21.07.2026	20.89	20.73	0.16	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	0.00	
22.07.2026	21.02	20.83	0.19	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	0.00	
23.07.2026	21.19	20.97	0.21	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	0.00	
24.07.2026	21.39	21.16	0.23	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	0.00	
25.07.2026	21.55	21.32	0.23	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	0.00	
26.07.2026	21.87	21.61	0.26	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	0.00	
27.07.2026	22.45	22.07	0.38	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	23.16	
28.07.2026	22.93	22.49	0.44	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
29.07.2026	23.25	22.80	0.45	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
30.07.2026	23.39	22.96	0.43	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
31.07.2026	23.47	23.02	0.45	0.00	0.00	0.00	0.00	0.00	---	0.01	0.00	0.00	-60.00	24.00	
Средние:	21.86	21.54	0.32	---	---	---	---	---	0.00	0.01	0.00	---	-60.00	---	
Итого:	---	---	---	0.00	0.00	0.00	0.00	0.00	---	---	---	0.00	---	548.00	

Дата	V1	V2	V3	M1	M2	Qот	Tr
	м3	м3	м3	т	т	Гкал	ч
30.06.2026	29053.13	29143.69	0.00	28585.50	28840.02	322.07	4175.58
31.07.2026	29053.13	29143.69	0.00	28585.50	28840.02	322.07	4723.58
Итого:	0.00	0.00	0.00	0.00	0.00	0.00	548.00

Представитель абонента

Представитель энергоснабжающей организации